AUTHOR INDEX, VOLUME 3

Abe, A.: see Flory, P. J.
Abe, H., Imai, K., and Matsumoto, M.: Syndiotactic polymerization of methyl methacrylate, 1053
Al-Taiar, A. H.: see Mayahi, M. F.
Anderson, F. R.: Formation of polyethylene fibrils possibly by a screw dislocation mechanism, 721
Andrews, E. H.: Microstructure of melt crystallized polyethylene, 353
Andrews, M. W., D'Arcy, R. L., and Watt, I. C.: The distribution of vinyl polymers in wool, 441
Andrews, R. D., and Hammack, T. J.: The theoretical interpretation of dynamic mechanical loss spectra and transition temperatures, 655
–, and Hammack, T. J.: The molecular mechanism of the γ mechanical loss peak in ethylenic polymers, 659
Araki, K., Campbell, D., and Turner, D. T.: ESR study of free radicals formed by γ-irradiation of poly(ethylene terephthalate), 993
Aubrey, D. W., Barnatt, A., and Gerrard, W.: Monomer isomerization in higher l-alkene polymerization, 357
Ayres, J. T., and Mann, C. K.: Some chemical reactions of poly-(p-chloromethylstyrene) resin in dimethylsulfoxide, 505
Babini, M.: see Bianchi, U.
Baccaredda, M., Butta, E., and Frosini, V.: Molecular motions and mechanical relaxation effects in atactic and isotactic polystyrenes at very low temperatures, 189
Baker, C. H., and Mandelkern, L.: X-ray diffraction studies of the melting of linear polyethylene, 339
Barclay, R., Jr.: see Matzner, M.
Barnatt, A.: see Aubrey, D. W.
Bartoš, O.: A note on the discontinuity in flow curves of molten polyethylene, 1025
Barzakay, S., Levy, M., and Vofsi, D.: On the mechanism of anionic polymerization of lactams, 601
Baumann, H.: On the estimation of unperturbed dimensions of long-chain molecules in solution, 1069
Bell, V. L., and Pezdirtz, G. F.: Polyimidazopyrrolones: a new route to ladder polymers, 977
Berens, A. R.: see Krimm, S.
Bertram, J. L.: see Schaefer, J. P.
Bezzi, S.: see Carazzolo, G.
Bianchi, U.: Contributions to the heat of mixing in polymer–solvent systems, 1079
–, Patrone, E., and Babini, M.: A new constant rate of flow viscometer, 609
Biesenberger, J. A.: see Tadmor, Z.
Billmeyer, F. W., Jr.: see Kokle, V.
Bingham, B. E. M.: The effect of elastic potential energy on non-Newtonian flow, 161
Black, W. B.: see Preston, J.

Bloch, R., Kedem, O., and Vofsi, D.: Water selective membranes for reverse osmosis, 965
Bluemle, A.: see Szymanski, H. A.
Blumstein, A., and Ries, H. E., Jr.: Monolayer properties of a crosslinked insertion poly(methyl methacrylate), 927
Bohdanecky, M.: A new method of estimating unperturbed dimensions of macromolecules from intrinsic viscosity data, 201
Boor, J., Jr.: Ziegler polymerization of olefins IV. Site removal and site activation, 7
–, and Youngman, E. A.: Ultimate melting point of syndiotactic polypropylene, 577
Braun, D.: see Heufer, G.
Bray, N. F.: see Wiley, R. H.
Breitenbach, J. W., Campbell, D., and Schindler, A.: ESR measurements on growing popcorn copolymers, 1017
Brown, E. D., and Carmichael, J. B.: Cyclic distribution in 3,3,3-trifluoropropylmethylsiloxane polymers, 473
Brownstein, S.: see Wiles, D. M.
Brzezinski, J.: see Moraglio, G.
Bueche, F., Kinzig, B. J., and Coven, C. J.: Polymer chain conformations in bulk polymers, 399
Butta, E.: see Baccaredda, M.
Campbell, D.: see Araki, K.
–: see Breitenbach, J. W.
Carazzolo, G., Mortillaro, L., Credali, L., and Bezzi, S.: Preparation and preliminary x-ray analysis of hexagonal polyselenomethylene, 997
–: see Mammi, M.
Carmichael, J. B.: see Brown, E. D.
Cernia, E. M., and Mancini, C.: A new method for determination of the solubility parameters of the polyethylene–ethylene pair at high temperature and pressure, 1093
–, and Mancini, C.: IR investigation of polyethylene initiated by alkylperoxycarbonates, 1097
Cessna, L. C., Jr., and Sternstein, S. S.: The fracture strengths of glassy polymers, 825
Coats, A. W., and Redfern, J. P.: Kinetic parameters from thermogravimetric data. II., 917
Collins, W.: see Szymanski, H. A.
Colton, D.: see Kinsinger, J. B.
Cotter, R. J.: see Matzner, M.
Coven, C. J.: see Bueche, F.
Cowan, J. C.: see Miller, W. R.
Crawford, T. H.: see Wiley, R. H.
Craven, J. M., and Fischer, T. M., Jr.: Film-forming polythiazoles, 35
Credali, L.: see Carazzolo, G.
–: see Mortillaro, L.
–: see Russo, M.
Cudby, M. E. A.: Cis vinylene unsaturation in polythene, 73
Dammont, F. R., Sharpe, L. H., and Schonhorn, H.: Fluorinated diepoxides, 1021
Danusso, F., and Gianotti, G.: A new transition in the isotactic polybutene-1 peculiar to the crystalline phase, 537
D'Arcy, R. L.: see Andrews, M. W.
Dawans, F., and Teyssie, Ph.: Polymerization by transition metal derivatives. VI. Investigation of the cis polymerization of 1,3-butadiene by biscyclooctadienyl nickel(0) and acidic metals salts, 1045
De Checchi, C.: see Mortillaro, L.
–: see Russo, M.
DeLaMare, H. E.: Dehydrogenation

and chain cleavage of polymers with peroxides and copper salts, 809
Denison, R.: see Mandelkern, L.
Dole, M., and Katsuura, K.: Irradiation crosslinking of polyethylene: Relative efficiency in crystalline and amorphous states, 467
Doskočilová, D., and Schneider, B.: NMR spectra of the meso and d,l-isomers of dimethylglutarate and 2,4-diphenylpentane, 213
—: see Lím, D.
Druin, M.: see Kirshenbaum, I.
Durrell, W. S., Stump, E. C., Jr., and Schuman, P. D.: The glass transition temperature of polytetrafluoroethylene, 831
Dušek, K.: Phase separation during the formation of three-dimensional polymers, 209
Dutt, P. K., and Palit, S. R.: Polymerization of α-methylstyrene by ketone–zinc chloride systems in the room temperature region, 801
East, G. C., and LaFlair, R. T.: The purification of styrene, 891
Eliassaf, J.: Hydrophobic bonding in vinyl polymers, 767
Elliott, J. J.: see Kennedy, J. P.
Ende, H. A.: Molecular weight averages as determined by density gradient centrifugation, 139
Endres, G. F.: see Hay, A. S.
Erhardt, P. F., and Stein, R. S.: A technique for the study of spherulite deformation: light scattering movies, 553
Evans, A. G., and Phillips, B. D.: The activation of carbon–carbon triple bonds by cationic catalysis. III. The interaction of phenylacetylene and trichloroacetic acid in nitroethane solution, 77
Fatou, J. G.: see Mandelkern, L.
Faucher, J. A.: The dependence of glass transition temperature on molecular weight for poly(propylene oxide) and poly(butylene oxide), 143
Feist, W. C.: Dynamic osmotic pressure measurements on low molecular weight polymers, 875
Field, N. D.: see Ramey, K. C.
Figini, R. V., Löhr, G., and Schulz, G. V.: Rate constants for ion-pair dissociation and association in the anionic two-state polymerization of styrene in THF, 985
Figueruelo, J. E.: see Roig, A.
Filipovich, G., Knutson, C. D., and Spitzer, D. M., Jr.: On molecular rigidity of polymers at low temperatures: NMR observations at 4.2°K., 1065
Fischer, E. W.: see Nukushina, Y.
Fischer, T. M., Jr.: see Craven, J. M.
Flory, P. J., Mark, J. E., and Abe, A.: Stereoregularity and unperturbed dimensions of isotactic poly-α-olefins, 973
Friedman, E.: Computer program for copolymer calculations based on the Alfrey-Price Q,e scheme, 815
Frisch, H. L.: Mechanisms for Fickian diffusion of penetrants in polymers, 13
Frosini, V.: see Baccaredda, M.
Folt, V. L.: see Krimm, S.
Fueno, T.: see Shelden, R. A.
Fujii, K.: Stereoisomers of heptane-2,4,6-triol, 375
Fujii, S.: see Sakai, S.
Fujimoto, S.: see Overberger, C. G.
Fukui, K.: see Kagiya, T.
—: see Shimidzu, T.
Furukawa, J.: see Shelden, R. A.

Gandini, A., and Plesch, P. H.: Pseudocationic and true cationic polymerization of styrene with various catalysts, 127
Gaston, P.: see Upadhyay, J.
Geil, P. H.: see Kiho, H.
—: see Peterlin, A.
Gerrard, W.: see Aubrey, D. W.
Gianotti, G.: see Danusso, F.
Giuliani, G.: see Nencini, G.
Glover, C. A., and Kirn, J. E.: Range of the ebulliometric method for determining molecular weights, 27
Gobran, R. H.: see Yu, A. J.
Gotoda, M.: see Machi, S.
Grassie, N., McNeill, I. C., and McLaren, I. F.: Determination of the reactivity ratios for the copolymerization of vinyl acetate and vinyl chloride using nuclear magnetic resonance spectroscopy, 897
Gupta, A. K.: see Gupta, V. D.
Gupta, V. D., and Gupta, A. K.: A generating function for the distribution of end-to-end distances for a polymer chain, 195
Haas, H. C., Kalesinski, H. S., and Schuler, N. W.: α-Acetoxy-4-vinyl pyridine, 879
Haberland, G. G.: see Lee, C. L.
Hakozaki, T.: see Shimidzu, T.
Ham, G. E.: Penultimate effects in the copolymerization of ethylene and carbon monoxide, 185
—: Prediction of telogen reactivity, 459
Hammack, T. J.: see Andrews, R. D.
Hansen, R. H., and Martin, W. M.: Novel methods for the production of foamed polymers II. Nucleation of dissolved gas by finely-divided metals, 325
Harwood, H. J., and Ritchey, W. M.: Methoxy and α-methyl proton resonance in styrene–methyl methacrylate copolymers, 419
Harwood, J. A. C., Mullins, L., and Payne, A. R.: Tensile stress softening effects in pure gum and filler loaded vulcanizates, 119
Hausslein, R. W.: see Michaels, A. S.
Hay, A. S., and Endres, G. F.: Polymerization by oxidative coupling. VI. Oxidation of o-cresol, 887
Hay, J. M., and Kerr, C. M. L.: The gas phase polymerization of glyoxal, 19
Hayashi, K.: see Sakamoto, M.
—: see Takakura, K.
—: see Ueno, K.
Hellman, M. Y.: see Salovey, R.
Heufer, G., and Braun, D.: Fractionation of polystyrene by permeation chromatography on gels of ethylene dimethacrylate, 495
Hewett, W. A.: A supported catalyst for the polymerization of propylene and other α-olefins, 855
Hock, C. W.: Selective oxidation with nitric acid reveals the microstructure of polypropylene, 573
Hosaka, S.: see Tsuji, J.
Hostalka, H., and Schulz, G. V.: Anionic polymerization and electrolytic dissociation of sodium polystyrene in tetrahydrofuran (THF), 175
—, and Schulz, G. V.: Some remarks to the comments by Toelle, Smid, and Szwarc, 1043
Hukuda, K., Kusumoto, N., Kawano, I., and Takayanagi, M.: ESR studies on isotactic polybutene-1, 743
Hunt, B. I.: see Reddish, W.

Ide, F.: see Joh, Y.
Ideguchi, Y.: see Miyazawa, T.
Ikeda, S., and Tsuchiya, R.: Double bond opening and isomerization and hydrogen exchange reactions in the polymerization of dideuteroethylene, 39
Imai, K.: see Abe, H.
Imaizumi, F.: see Takokoro, H.
Imoto, M.: see Otsu, T.
–: see Shimizu, A.
Inoue, S.: see St. John Manley, R.
Isaacson, R. B.: see Kirshenbaum, I.
Ishida, S.: see Overberger, C. G.
Ishida, Y., Ito, H., and Takayanagi, M.: Dielectric and viscoelastic behaviors of poly(hydroxyacetic ester), 87
–, Matsuo, M., Onga, M., and Takayanagi, M.: Dielectric behavior of poly (β-propiolactone) prepared by radiation induced solid state polymerization, 301
–, Matsuo, M., and Takayanagi, M.: Dielectric behavior of single crystals of poly(ethylene oxide), 321
–: see Kajiyama, T.
Ishii, Y.: see Sakai, S.
–: see Yokota, K.
Ishikawa, S.: Further information on the cross-β structure of poly-γ-methyl-L-glutamate, 959
Ito, H.: see Ishida, Y.
Ito, K., and Yamashita, Y.: NMR study of styrene–methyl methacrylate copolymer obtained by radical polymerization, 625
–, and Yamashita, Y.: NMR study of styrene–methyl methacrylate copolymer obtained by anionic polymerization, 631
–, and Yamashita, Y.: NMR study of styrene–methyl acrylate copolymer obtained by radical polymerization, 637
Ito, T.: see Otsu, T.
Itoh, Y.: see Nukushina, Y.
Iyengar, Y.: Relation of water vapor permeability of elastomers to molecular structure, 663
Joh, Y., Yoshihara, T., Kotake, Y., Ide, F., and Nakatsuka, K.: Stereospecific polymerization of methacrylonitrile, 933
Joshi, R. M., and Zwolinski, B. J.: Heat of formation of vinyl chloride, 779
Justin, J.: see Mandelkern, L.
Kagiya, T., Narisawa, S., Manabe, K., and Fukui, K.: Copolymerization of ethylenimine and β-propiolactone, 617
–: see Machi, S.
–: see Shimidzu, T.
Kajiyama, T., Togami, S., Ishida, Y., and Takayanagi, M.: Dielectric studies of stereospecific poly(vinyl alcohol), 103
Kamachi, M.: see Miyama, H.
Kambara, S.: see Noguchi, H.
–: see Takahashi, A.
–: see Yamazaki, N.
Kamogawa, H.: Substitution of N-hydroxymethylpolyacrylamide with redox groups, 283
Karasz, F. E., and O'Reilly, J. M.: Thermal properties of poly(2,6-dimethyl phenylene ether), 561
Kashiwabara, H.: see Sohma, J.
Kastner, S.: Comments on the viscoelastic properties of plastics, 587
Kato, Y., and Nishioka, A.: Motional narrowing of NMR line width of methyl groups in poly(methylmethacrylate) solution, 739
Katsuura, K.: see Dole, M.
Kawai, T.: A note on fractionation

of crystalline polymers, 83
Kawano, I.: see Hukuda, K.
Kedem, O.: see Bloch, R.
Keii, T.: see Soga, K.
Kennedy, J. P., Naegele, W., and Elliott, J. J.: Intramolecular hydride shift polymerization by cationic mechanism. VII. The polymerization of 4-methyl-1-hexene, 729
Kerr, C. M. L.: see Hay, J. M.
Kiho, H., Peterlin, A., and Geil, P. H.: Polymer deformation. VIII. Stability of the monoclinic phase of polyethylene, 157
–, Peterlin, A., and Geil, P. H.: Polymer deformation. IX. Deformation of polyethylene crystals at large strain, 257
–, Peterlin, A., and Geil, P. H.: Polymer deformation. X. Effect of draw temperature, 263
–: see Peterlin, A.
Kimmel, R. M.: see Andrews, R. D.
Kinsinger, J. B., and Colton, D.: A graphical synopsis of pair and triplet sequences in binary statistical copolymerization, 797
Kinzig, B. J.: see Bueche, F.
Kirn, J. E.: see Glover, C. A.
Kirshenbaum, I., Isaacson, R. B., and Druin, M.: Higher order transitions in poly-3-methyl-1-butene and poly-4-methyl-1-pentene, 525
Kirste, R. G., and Wunderlich, W.: The determination of the thermodynamic parameters of solutions of polymer coils from x-ray small angle measurements, 851
Kitamura, M.: see Sakai, S.
Klein, J.: see Patat, F.
Knutson, C. D.: see Filipovich, G.
Kobayashi, E., and Signer, R.: Die stabilitat von polyoxymethylen in p-chlorphenol-losung und in gegenwart von bortrifluorid-aetherat, 491
Kokle, V., and Billmeyer, F. W., Jr.: Unperturbed dimensions of polyoxymethylene, 47
Kolesinski, H. S.: see Haas, H. C.
Komatsu, T.: see Sohma, J.
Komiyama, J.: see Yoshino, T.
Korotkov, A. A., and Podolsky, A. F.: On the mechanism of the anionic polymerization of styrene with "living" polystyrene (about the article of Szwarc and coworkers), 901
Kotake, Y.: see Joh, Y.
Kratochvíl, P.: see Tuzar, Z.
Krimm, S., Shipman, J. J., Folt, V. L., and Berens, A. R.: Infrared evidence for solid state constraints on chain conformations in poly(vinyl chloride), 275
Krozer, S.: The influence of interfacial tension on the size of the precipitated aggregate from poly(vinyl chloride) solutions, 433
Kubota, K.: Method for removing surface specimens from bulk polymers for electron microscopic and diffraction studies, 403
–: Formation of a new crystalline structure on a polyolefin surface as a result of vapor etching, 545
Kurkjy, R. P.: see Matzner, M.
Kuryla, W., and Whitman, R. D.: Dipolar solvents as polyurethane foam cell-opening agents, 651
Kusumoto, N.: see Hukuda, K.
LaFlair, R. T.: see East, G. C.
Lal, J.: Polymerization and copolymerization of 1-allyloxy-2,3-epithiopropane, 969
Lee, C. L., and Haberland, G. G.: Polymethylsiloxamer, 883
Levy, A. A.: see Upadhyay, J.
Levy, M.: see Barzakay, S.

Lím, D., Obereigner, B., and Doskočilová: Separation of stereoisomers of methyl 2,4,6-heptanetricarboxylate, 893
Llano, E.: see Roig, A.
Löhr, G.: see Figini, R. V.
Longworth, R., and Pieski, E. T.: Melt index as a measure of Newtonian melt viscosity, 221
Luongo, J. P., and Salovey, R.: Infrared spectra of the polybutene-1 polymorphs, 513
McCullough, R. L.: A simplification for determining conformations of polymer molecules from crystallographic data, 509
McLaren, I. F.: see Grassie, N.
McNeill, I. C.: see Grassie, N.
Machi, S., Sakai, T., Tamura, T., Gotoda, M., and Kagiya, T.: The free radical polymerization of ethylene at low temperature, 709
Mammi, M., Carazzolo, G., and Valle, G.: Relative orientation of the twinned polythiomethylene crystals from trithiane by γ-irradiation, 863
—: see Russo, M.
Manabe, K.: see Kagiya, T.
Mancini, C.: see Cernia, E. M.
Mandelkern, L., Fatou, J. G., Denison, R., and Justin, J.: A calorimetric study of the fusion of molecular weight fractions of linear polyethylene, 803
—: see Baker, C. H.
Mann, C. K.: see Ayres, J. T.
Marchessault, R. H.: see O'Malley, J. J.
Mark, J. E.: see Flory, P. J.
Markovitz, H.: Normal stress functions from Couette flow measurements, 3
Martin, W. M.: see Hansen, R. H.
Matlack, J. D.: see Metzger, A. P.
Matsumoto, M.: see Abe, H.
Matsuo, M.: see Ishida, Y.
Matsuzaki, K., Uryu, T., and Takeuchi, M.: Stability of tertiary carbon–hydrogen bonds in polyacrylonitrile, 835
—, and Yasukawa, T.: Reaction between tris(acetylacetonato) cobalt and diethylaluminum chloride, and polymerization of butadiene by the complex, 393
—, and Yasukawa, T.: Some remarks on the transition metal effect in the polymerization of butadiene by homogeneous Ziegler-Natta catalyst, 907
Matzner, M., Kurkjy, R. P., Cotter, R. J., and Barclay, R., Jr.: Condensation polymers by an anhydrous catalytic solution process, 389
Mayahi, M. F., and Al-Taiar, A. H.: Properties of polymer solutions from the comparison of ultraviolet and infrared spectra of polymers and their hydrogenated monomers. I. The poly(vinyl acetate)–ethyl acetate system, 331
Meinel, G.: see Peterlin, A.
Metzger, A. P., and Matlack, J. D.: Extrudate swelling at high shear rates, 921
Michaels, A. S., and Hausslein, R. W.: Elastic constraints in solvent swollen polyethylene, 61
Miller, W. R., Pryde, E. H., and Cowan, J. C.: Azelaaldehydic acid–glycerol compounds: potential polymer intermediates, 131
Miyama, H., and Kamachi, M.: Photopolymerization of acetone, 241
Miyazawa, T., and Ideguchi, Y.: Chain conformation and infrared frequencies of poly(vinylidene

chloride), 541
Molau, G. E.: Heterogeneous polymer systems. III. Phase separation in styrene–acrylonitrile copolymers, 1007
Moore, L. D., Jr.: see Sharp, J. O.
Moraglio, G., and Brzezinski, J.: Conformation of isotactic polypentene-1 (erratum), 349
Mori, K.: see Tadokoro, H.
Morrow, D. R., Sauer, J. A., and Woodward, A. E.: Dilute solution-grown polypropylene single crystals, 463
Mortillaro, L., Credali, L., Russo, M., and De Checchi, C.: Polyselenomethylene, 581
–: see Carazzolo, G.
–: see Russo, M.
Mortimer, G. A.: Free radical copolymerization of ethylene, 343
Mullins, L.: see Harwood, J. A. C.
Murahashi, S., Nozakura, S., and Sumi, M.: A new route to stereoregular poly(vinyl alcohols), 245
Murano, M.: see Yamadera, R.
Naegele, W.: see Kennedy, J. P.
Nagai, E., and Ogawa, M.: Notes on nylon 6 single crystals, 295
Nakagawa, K.,: see Tazuke, S.
Nakahama, S.: see Yamazaki, N.
Nakajima, N., Tirpak, G. A., and Shida, M.: Branching and flow activation-energy of conventional high pressure process polyethylene, 1089
Nakakuki, A.: A simple relation between stress relaxation and creep for linear amorphous polymers, 437
Nakatsuka, K.: see Joh, Y.
Narisawa, S.: see Kayiya, T.
Nencini, G., Giuliani, G., and Salvatori, T.: A pyrolysis–mass spectrometry method for blockiness determination of ethylene–propylene copolymers, 483
–, Giuliani, G., and Salvatori, T.: Intramolecular hydrogen transfer in the pyrolysis of ethylene–propylene copolymers, 749
Nevin, R. S., Pearce, E. M.: Alkylene sulfide block copolymers, 487
Nishioka, A.: see Kato, Y.
Noguchi, H., and Kambara, S.: Polymerization of 1,1-diethoxyethylene with some π-electron acceptors, 271
Nozakura, S.: see Murahashi, S.
Nukada, K.: see Ohnishi, S.
Nukushina, Y., Itoh, Y., and Fischer, E. W.: Nachweis des partiellen schmelzens von polyathylen-einkristallen mit hilfe der rontgenkleinwinklestreuung, 383
Obereigner, B.: see Lím, D.
O'Driscoll, K. F.: Reconsideration of the kinetics of anionic copolymerization of styrene and methyl methacrylate, 43
–: Reactivity in free radical copolymerization, 305
Ogawa, M.: see Nagai, E.
Oguni, N.: see Tani, H.
Ohnishi, S., and Nukada, K.: Analysis of the NMR spectrum of isotactic polypropylene, 179
–, and Nukada, K.: Analysis of the NMR spectrum of syndiotactic polypropylene, 1001
Okada, M.: Cracking of polypropylene under AC voltage, 407
Okamura, S.: see Sakamoto, M.
–: see Takakura, K.
–: see Tazuke, S.
–: see Ueno, K.
O'Malley, J. J., and Marchessault, R. H.: A polysaccharide graft co-

polymer prepared by anionic coupling, 685
Onga, M.: see Ishida, Y.
O'Reilly, J. M.: see Karasz, F. E.
Otsu, T., Ito, T., and Imoto, M.: The reactivities of alkyl methacrylates in their radical polymerizations, 113
–: see Shimizu, A.
Otsuka, S.: see Tadokoro, H.
Overberger, C. G., and Fujimoto, S.: Polycycloaddition of terephthalonitrile oxide, 735
–, and Ishida, S.: Synthesis of divinylurea and related compounds, 789
–, and Yamamoto, N.: Copolymerization of styrene and methyl methacrylate with lithium as initiator, 569
Palit, S. R.: see Dutt, P. K.
Patat, F., and Klein, J.: Experimentelle untersuchungen zur phasentrennung im ternaren system losungsmittel-fallungsmittel-polymer, 615
Patrone, E.: see Bianchi, U.
Payne, A. R.: see Harwood, J. A. C.
Pearce, E. M.: see Nevin, R. S.
Peterlin, A.: Diffusion in a network with discontinuous swelling, 1083
–, Kiho, H., and Geil, P. H.: Polymer deformation. VII. Annealing of drawn polymer fibers, 151
–, and Meinel, G.: Heat content of amorphous regions of drawn linear polyethylene, 783
–, and Meinel, G.: Fuming nitric acid treatment of polyethylene single crystals. I. A study of morphology, 1059
–, Quan, C., and Turner, D. T.: Role of molecular aggregates in the flow properties of poly(methyl methacrylate) in Aroclor, 521
–, and Turner, D. T.: Temporary network formation in shearing solutions of poly(methyl methacrylate) in Aroclor, 517
–: see Kiho, H.
Pezdirtz, G. F.: see Bell, V. L.
Phillips, B. D.: see Evans, A. G.
Pieski, E. T.: see Longworth, R.
Pittman, A. G., and Sharp, D. L.: Fluoroalkyl glycidyl ethers from fluoro ketones, 379
Plesch, P. H.: see Gandini, A.
Podolksy, A. F.: see Korotkov, A. A.
Powles, J. G.: see Reddish, W.
Preston, J., and Black, W. B.: Thermally-stable ordered heterocycle copolymers, 845
Pryde, E. H.: see Miller, W. R.
Quan, C.: see Peterlin, A.
Ramey, K. C., and Field, N. D.: Tacticity of poly(vinyl trifluoroacetate) by NMR, 63
–, and Field, N. D.: Tacticity of poly(vinyl acetate) by NMR, 69
Reddish, W., Powles, J. G., and Hunt, B. I.: Relaxation processes in polytetrafluoroethylene, 671
Redfern, J. P.: see Coats, A. W.
Reich, L.: Activation energy from a thermogravimetric trace, 231
–, and Stivala, S. S.: Uncatalyzed thermal oxidation of isotactic polypropylene, 227
Ries, H. E., Jr.: see Blumstein, A.
Rinehart, R. E., and Smith, H. P.: The emulsion polymerization of the norbornene ring system catalyzed by noble metal compounds, 1049
Ritchey, W. M.: see Harwood, H. J.
Robertson, R. E., and Wilson, C.

M.: Some elastic moduli versus temperature of glassy Bisphenol-A polycarbonate, 427
Roig, A., Figueruelo, J. E., and Llano, E.: Monodisperse stereoregular poly(methyl methacrylate) by anionic polymerization, 171
Rudd, J. F.: Photoelastic properties of polystyrene in the transition region, 345
Russo, M., Mortillaro, L., Credali, L., and De Checchi, C.: Preparation and polymerization of 1,3,5,7,9-pentathiocyclodecane (pentathioformaldehyde), 455
–, Mortillaro, L., De Checchi, C., Valle, G., and Mammi, M.: Polymerization and preliminary x-ray analysis of 1,3,5,7-tetrathiocane (tetra-thioformaldehyde), 501
–: see Mortillaro, L.
St. John Manley, R., and Inoue, S.: The fine structure of regenerated cellulose, 691
Sakai, S., Fujii, S., Kitamura, M., and Ishii, Y.: Redox polymerization of vinyl compounds using oxazirane os oxidant, 955
Sakai, T.: see Machi, S.
Sakai, Y.: see Yokota, K.
Sakamoto, M., Hayashi, K., and Okamura, S.: Photoinduced polymerization of β-propiolactone in the presence of uranyl nitrate as a sensitizer, 205
Salovey, R., and Hellman, M. Y.: Solution properties of poly-(p-iodostyrene), 499
–: see Luongo, J. P.
Salvatori, T.: see Nencini, G.
Sambhi, M. S., and Treloar, F. E.: The polymerization of styrene by Ph_3CCl,$HgCl_2$: The initiation rate constant and a test of the stationary state assumption, 445
Sasaki, T.: Notes on the polymorphism in nylon 11, 557
Sauer, J. A.: see Morrow, D. R.
Schaefer, J. P., and Bertram, J. L.: Thermally stable polymers. I. Polyphenylpyrazoles, 95
Schindler, A.: Identification of the active site in Ziegler type catalysts by transfer and exchange reaction studies with deuterium, 147
–: Kinetic effects of the transition metal valence in Ziegler-type catalyst systems, 793
–: see Breitenbach, J. W.
Schneider, B.: see Doskočilová, D.
Schonhorn, H., and Sharpe, L. H.: Surface tension of molten polypropylene, 235
–: see Dammont, F. R.
Schreiber, H. P., and Storey, S. H.: Molecular fractionation in capillary flow of polymer fluids, 723
Schuerch, C.: see Ueno, A.
Schuler, N. W.: see Haas, H. C.
Schulz, G. V.: see Figini, R. V.
–: see Hostalka, H.
Schuman, P. D.: see Durrell, W. S.
Sharp, D. L.: see Pittman, A. G.
Sharp, J. O., and Moore, L. D., Jr.: Investigations of polyolefins by density gradient ultracentrifugation, 549
Sharpe, L. H.: see Dammont, F. R.
–: see Schonhorn, H.
Shelden, R. A., Fueno, T., Tsunetsugu, T., and Furukawa, J.: A one-parameter model for isotactic polymerization based on enantiomorphic catalyst sites, 23
Shida, M.: see Nakajima, N.
Shih, C.–N.: see Tsuchida, E.
Shimidzu, T., Hakozaki, T., Kagiya, T., and Fukui, K.: Ring-opening polymerization of ethyl-

ene alkyl phosphites, 871
Shimizu, A., Otsu, T., and Imoto, M.: The polymerization of butene-2 by triethylaluminum–titanium trichloride catalyst, 449
–, Otsu, T., and Imoto, M.: The polymerization of β-olefins with isomerization to the corresponding α-olefins, 1031
Shinohara, I.: see Tsuchida, E.
Shipman, J. J.: see Krimm, S.
Shokal, E. C.: see Short, G. A.
Short, G. A., and Shokal, E. C.: A novel Ziegler catalyst, 859
Shulman, G. P.: Thermal degradation of polymers. I. Mass spectrometric thermal analysis, 911
Signer, R.: see Kobayashi, E.
Sinnott, K. M.: Dynamic mechanical properties of polyethylene single crystals, 945
Smid, J.: see Toelle, K. J.
Smith, H. P.: see Rinehart, R. E.
Soga, K., Keii, T., and Takahashi, A.: A note on Ziegler-Natta polymerizations with aromatic solvents, 1075
Sohma, J., Komatsu, T., and Kashiwabara, H.: Origin of the ESR spectrum of the radical from poly(methyl methacrylate), 287
Sonoda, C.: see Yamadera, R.
Spitzer, D. M., Jr.: see Filipovich, G.
Starr, L.: Interfacial polycondensation of 2,6-naphthalenedicarboxylic acid chloride with Bisphenol A, 941
Stein, R. S.: see Erhardt, P. F.
–: see Utsuo, A.
Sternstein, S. S.: see Cessna, L. C., Jr.
Stivala, S. S.: see Reich, L.
Storey, S. H.: see Schreiber, H. P.
Stump, E. C., Jr.: see Durrell, W. S.
Sumi, M.: see Murahashi, S.
Swift, H. E.: Preparation and properties of a solid polymerization catalyst containing cyclohexane and the reaction products of titanium tetrachloride and diethylaluminum chloride, 761
Szwarc, M.: see Toelle, K. J.
Szymanski, H. A., Collins, W., and Bluemle, A.: Solubility of polymers in arsenic and antimony trichlorides, 81
Tadmor, Z., and Biesenberger, J. A.: The influence of chain initiation rate on molecular weight dispersion in free radical polymerizations, 753
Tadokoro, H., Takahashi, Y., Otsuka, S., Mori, K., and Imaizumi, F.: Structure of crystalline polyallene, 697
Tajima, Y., Tani, K., and Yuguchi, S.: Catalytic activity of chromium π-complexes for ethylene polymerization, 529
Takahashi, A., and Kambara, S.: Stereospecific polymerization of conjugated dienes by new soluble catalysts, 279
–: see Soga, K.
Takahashi, T., and Yamashita, I.: 1,5-Polymerization of vinylcyclopropane, 251
Takahashi, Y.: see Tadokoro, H.
Takakura, K., Hayashi, K., and Okamura, S.: Cationic polymerization of isobutyl vinyl ether and N-vinylcarbazole initiated by the species derived from ethereal maleic anhydride, 565
Takayanagi, M.: see Hukuda, K.
–: see Ishida, Y.
–: see Kajiyama, T.
Takeuchi, M.: see Matsuzaki, K.
Tamura, T.: see Machi, S.

Tani, H., and Oguni, N.: Stereospecific polymerization of acetaldehyde. III. Polymerization of acetaldehyde using $R_2Al–NR–AlR_2$ and Li^+-$(R_3Al–NR–AlR_2)^-$ as catalysts, 123
Tani, K.: see Tajima, Y.
Tazuke, S., Nakagawa, K., and Okamura, S.: The nature of radical and cationic polymerization initiated by cupric salts, 923
–, and Okamura, S.: Polymerization of 4-vinylpyridine with cupric acetate, 135
Teyssie, Ph.: see Dawans, F.
Thompson, E. V.: Electron irradiation and racemization of isotactic poly(methyl methacrylate), 675
Tirpak, G. A.: Position of ethyl branches in conventional polyethylene made by the free radical process, 371
–: see Nakajima, N.
Toelle, K. J., Smid, J., and Szwarc, M.: The absolute rate constant of propagation of the free living polystyrene ion, and the dissociation constant of the $\sim\sim S^-, Na^+$ ion pair, 1037
Togami, S.: see Kajiyama, T.
Treloar, F. E.: see Sambhi, M. S.
Tsuchida, E., Shih, C.-N., and Shinohara, I.: The mechanisms of complete dehydrohalogenation of polyhalogen-containing polymers, 643
Tsuchiya, R.: see Ikeda, S.
Tsuji, J., and Hosaka, S.: Organic syntheses by means of noble metal compounds. XI. Copolymerization of carbon monoxide and norbornadiene, 703
Tsunetsugu, T.: see Shelden, R. A.
Turner, D. T.: see Araki, K.
–: see Peterlin, A.
Turner Jones, A.: Crystalline phases in copolymers of butene and 3-methylbutene, 591
Tuzar, Z., and Kratochvíl, P.: Determination of molecular parameters of polycaprolactam by the light scattering method, 17
Ueno, A., and Schuerch, C.: Racemization of isotactic poly(isopropyl acrylate), 53
Ueno, K., Hayashi, K., and Okamura, S.: Radiation induced polymerization of styrene in a dry system, 363
Unishi, T.: Preparation of aromatic polyimide–amide, 679
Upadhyay, J., Gaston, P., Levy, A. A., and Wassermann, A.: Proton transfer reactions in the formation of deeply colored electrically conducting polymers, 369
Urya, T.: see Matsuzaki, K.
Utsuo, A., and Stein, R. S.: On spherulites of poly(vinyl chloride), 49
Valle, G.: see Mammi, M.
–: see Russo, M.
Van der Hauw, Tj.: Monomer copolymerization relationships, 715
Vofsi, D.: see Barzakay, S.
–: see Bloch, R.
Wassermann, A.: see Upadhyay, J.
Watt, I. C.: see Andrews, M. W.
Wells, T. F.: see Yu, A. J.
Whitman, R. D.: see Kuryla, W. C.
Wiles, D. M., and Brownstein, S.: Tacticity determinations on allyl methacrylate polymers, 951
Wiley, R. H., Crawford, T. H., and Bray, N. F.: NMR characteristics of o, m. and p-divinylbenzenes, 99

Wilson, C. M.: see Robertson, R. E.
Woodward, A. E.: see Morrow, D. R.
Wunderlich, W.: see Kirste, R. G.
Yamadera, R., and Murano, M.: High resolution nuclear magnetic resonance spectrum of polyacrylonitrile, 821
Yamadera, R., and Sonoda, C.: Crystallization of poly(ethylene isophthalate), 411
Yamamoto, N.: see Overberger, C. G.
Yamashita, I.: see Takahashi, T.
Yamashita, Y.: see Ito, K.
Yamazaki, N., Nakahama, S., and Kambara, S.: Electro-initiated living polymers, 57
Yasukawa, T.: see Matsuzaki, K.
Yokota, K., and Ishii, Y.: High syndiotacticity of poly(β-phenylethyl methacrylate), 771
–, Sakai, Y., and Ishii, Y.: Nuclear magnetic resonance study on the poly(methacrylic amides) obtained by radical and anionic initiators, 839
Yoshihara, T.: see Joh, Y.
Yoshino, T., Komiyama, J.: NMR signals of tetrads of monomer units in vinyl chloride polymers, 311
Youngman, E. A.: see Boor, J., Jr.
Yu, A. J., Gobran, R. H., and Wells, T. F.: Application of dead-end theory to copolymerization of butadiene and acrylonitrile, 31
Yuguchi, S.: see Tajima, Y.
Zwolinski, B. J.: see Joshi, R. M.

SUBJECT INDEX, VOLUME 3

Acetaldehyde, stereospecific polymerization of, 123
Acetone, photopolymerization of, 241
α-Acetoxy-4-vinyl pyridine, 879
Acrylonitrile, copolymerization with butadiene, dead-end theory for, 31
Acrylonitrile–styrene copolymers, phase separation in, 1007
Activation, of carbon-carbon triple bonds by cationic catalysis, 77
site, in Ziegler olefin polymerization, 7
Activation energy, flow, of conventional high pressure process polyethylene, 1089
for a thermogravimetric trace, 231
Active site, identification in Ziegler type catalysts by transfer and exchange reaction studies with deuterium, 147
AC voltage, cracking of polypropylene under, 407
Aggregates, molecular, role in the flow properties of poly(methyl methacrylate) in Aroclor, 521
precipitated from PVC solutions, interfacial tension and the size of, 433
Alfrey-Price Q,e scheme, computer program for copolymer calculations based on, 815
1-Alkene polymerization, monomer isomerization in, 357
Alkylene sulfide block copolymers, 487
Alkyl methacrylates, reactivities in radical polymerizations, 113
Alkylperoxycarbonates, IR investigation of polyethylene initiated by, 1097

Allyl methacrylate polymers, tacticity determination on, 951
1-Allyloxy-2,3-epithiopropane, polymerization and copolymerization of, 969
Aluminum alkyls, in the stereospecific polymerization of acetaldehyde, 123
Amorphous regions, of drawn linear polyethylene, heat content of, 783
Anionic copolymerization, of styrene and methyl methacrylate, kinetics of, 43
Anionic coupling, a polysaccharide graft copolymer prepared by, 685
Anionic initiators, NMR study on the poly(methacrylic amides) obtained by, 839
Anionic polymerization, and electrolytic dissociation of sodium polystyrene in THF, 175
mechanism for lactams, 601
monodisperse stereoregular poly(methyl methacrylate) by, 171
of styrene and living polystyrene, mechanism of, 901
of styrene–methyl methacrylate copolymer, NMR study of, 631
Anionic two-state polymerization, of styrene in THF, rate constants for ion-pair dissociation and association in, 985
Annealing, of drawn polymer fibers, 151
Antimony trichloride, solubility of polymers in, 81
Aroclor, role of molecular aggregates in the flow properties of poly(methyl methacrylate) in, 521
temporary network formation in shearing solutions of poly(methyl methacrylate) in, 517
Aromatic solvents, Ziegler-Natta polymerizations with, 1075
Arsenic trichloride, solubility of polymers in, 81
Association, ion-pair, in the anionic two-state polymerization of styrene in THF, rate constants for, 985
Azelaaldehydic acid–glycerol compounds, as polymer intermediates, 131
Binary statistical copolymerization, a graphical synopsis of pair and triplet sequences in, 797
Biscyclooctadienyl nickel(0), and acidic metals salts, cis polymerization of 1,3-butadiene by, 1045
Bisphenol A, interfacial polycondensation with 2,6-naphthalenedicarboxylic acid chloride, 941
Bisphenol-A polycarbonate, glassy, some elastic moduli versus temperature, for, 427
Block copolymers, alkylene sulfide, 487
Blockiness, mass spectrometry–pyrolysis determination in ethylene–propylene copolymers, 483
Bonding, hydropholic, in vinyl polymers, 767
Boron trifluoride–etherate, stability of polyoxymethylene in the presence of, 491
Branching, and flow activation-energy of conventional high pressure process polyethylene, 1089
Bulk polymers, chain conformations in, 399
method for removing surface specimens for electron microscopic and diffraction studies, 403

Butadiene, copolymerization with acrylonitrile, dead-end theory for, 31
polymerization by homogeneous Ziegler-Natta catalyst, transition metal effect in, 907
polymerization by the complex of tris(acetylacetonate) cobalt and diethylaluminum chloride, 393
1,3-Butadiene, cis polymerization by biscyclooctadienyl nickel(0) and acidic metals salts, 1045
Butene, copolymers with 3-methylbutene, crystalline phases in, 591
Butene-2, polymerization by triethylaluminum–titanium trichloride catalyst, 449
Calorimetric study, of the fusion of molecular weight fractions of linear polyethylene, 803
Capillary flow, of polymer fluids, molecular fractionation in, 723
Carbon–hydrogen bonds, tertiary, stability in polyacrylonitrile, 835
Carbon monoxide, copolymerization with ethylene, penultimate effects in, 185
copolymerization with norbornadiene, 703
Catalysis, anhydrous solution, condensation polymers by, 389
cationic, activation of carbon-carbon triple bonds by, 77
of ethylene polymerization, by chromium π-complexes, 529
Catalyst, homogeneous Ziegler-Natta, transition metal effect in the polymerization of butadiene by, 907
solid containing cyclohexane and the reaction products of titanium tetrachloride and diethylaluminum chloride, 761
soluble, stereospecific polymerization of conjugated dienes by, 279
supported, for the polymerization of propylene and other α-olefins, 855
Ziegler-type, active site identification in, 147
novel, 859
Catalyst sites, enantiomorphic, a one-parameter model for isotactic polymerization based on, 23
Catalyst systems, Ziegler-type, kinetic effect of the transition metal valence in, 793
Cationic catalysis, activation of carbon-carbon triple bonds by, 77
Cationic mechanism, intramolecular hydride shift polymerization by, 729
Cationic polymerization, initiated by cupric salts, nature of, 923
of isobutyl vinyl ether by the species derived from ethereal maleic anhydride, 565
of styrene, 127
of N-vinylcarbazole by the species derived from ethereal maleic anhydride, 565
Cell-opening agents, for polyurethane foam, dipolar solvents as, 651
Cellulose, regenerated, fine structure of, 691
Centrifugation, density gradient, molecular weight averages by, 139
Chain cleavage, and dehydrogenation of polymers with peroxides and copper salts, 809
Chain conformations, in bulk polymers, 399
and IR frequencies of poly(vinylidene chloride), 541

in poly(vinyl chloride), IR evidence for solid state constraints on, 275
Chain initiation rate, influence on molecular weight dispersion in free radical polymerizations, 753
Chain, polymer, a generating function for the distribution of end-to-end distances in, 195
p-Chlorophenol, stability of polyoxymethylene in a solution of, 491
Chromatography, permeation, fractionation of polystyrene on gels of ethylene dimethacrylate by, 495
Chromium, π-complexes, catalysis in ethylene polymerization, 529
Cis polymerization, of 1,3-butadiene by biscyclooctadienyl nickel(0) and acidic metals salts, 1045
Cis vinylene unsaturation, in polythene, 73
Cleavage, and dehydrogenation of polymers with peroxides and copper salts, 809
Coils, polymer, determination of the thermodynamic parameters of solutions of, 851
Colored polymers, electrically conducting, proton transfer reactions in the formation of, 369
π-Complexes, chromium, catalysis in ethylene polymerization, 529
Computer program, for copolymer calculations based on the Alfrey-Price Q,e scheme, 815
Condensation polymers, by an anhydrous catalytic solution process, 389
Conducting polymers, deeply colored, proton transfer reactions in the formation of, 369
Conformation, chain, in bulk polymers, 399
and IR frequencies of poly(vinylidene chloride), 541
of isotactic polypentene-1, erratum, 349
of polymer molecules from crystallographic data, 509
in poly(vinyl chloride) chains, IR evidence for solid state constraints on, 275
Constraints, solid state, on chain conformations in poly(vinyl chloride), IR evidence for, 275
Copolymer, block, alkylene sulfide, 487
of butene and 3-methylbutene, crystalline phases in, 591
ethylene–propylene, intramolecular hydrogen transfer in the pyrolysis of, 749
ethylene–propylene, mass spectrometry–pyrolysis determination of blockiness in, 483
heterocyclic, thermally-stable ordered, 845
polysaccharide graft, prepared by anionic coupling, 685
of styrene–methyl acrylate obtained by radical polymerization, NMR study of, 637
of styrene–methyl methacrylate obtained by anionic polymerization, NMR study of, 631
of styrene–methyl methacrylate obtained by radical polymerization, NMR study of, 625
Copolymer calculations, based on the Alfrey-Price Q,e scheme, computer program for, 815
Copolymerization, anionic, of styrene and methyl methacrylate, kinetics of, 43
binary statistical, a graphical synopsis of pair and triplet

sequences in, 797
of butadiene and acrylonitrile, dead-end theory for, 31
of carbon monoxide and norbornadiene, 703
of ethylene and carbon monoxide, penultimate effects in, 185
of ethylenimine and β-propiolactone, 617
free radical, of ethylene, 343
free radical, reactivity in, 305
and polymerization of 1-allyloxy-2,3-epithiopropane, 969
of styrene and methyl methacrylate with lithium as initiator, 569
of vinyl acetate and vinyl chloride, NMR determination of the reactivity ratios of, 897
Copolymerization relationships, 715
Copper salts, and peroxides, dehydrogenation and chain cleavage of polymers with, 809
Couette flow measurements, normal stress functions from, 3
Coupling, anionic, a polysaccharide graft copolymer prepared by, 685
oxidative, polymerization by, 887
Cracking, of polypropylene under AC voltage, 407
Creep, relation to stress relaxation for linear amorphous polymers, 437
o-Cresol, oxidation of, 887
Crosslinked insertion poly(methyl methacrylate), monolayer properties of, 927
Crosslinking, irradiation, of polyethylene, 467
Cross-β structure, of poly-γ-methyl-L-glutamate, 959
Crystalline phase, a new transition peculiar to isotactic polybutene-1 in, 537
in copolymers of butene and 3-methylbutene, 591
Crystalline polymers, fractionation of, 83
Crystalline structure, formation on a polyolefin surface as a result of vapor etching, 545
Crystallization, of poly(ethylene isophthalate), 411
Crystallographic data, polymer molecule conformation from, 509
Crystals, polyethylene, deformation at large strain, 257
single, of dilute solution-grown polypropylene, 463
dynamic mechanical properties of polyethylene, 945
of nylon 6, 295
of poly(ethylene oxide), dielectric behavior of, 321
of twinned polythiomethylene from trithiane by γ-irradiation, relative orientation of, 863
Cupric acetate, polymerization of 4-vinylpyridine with, 135
Cupric salts, nature of radical and cationic polymerization initiated by, 923
Cyclic distribution, in 3,3,3-trifluoropropylmethylsiloxane polymers, 473
Cyclohexane, solid polymerization catalyst containing, 761
Dead-end theory, in copolymerization of butadiene and acrylonitrile, 31
Deformation, effect of draw temperature on, 263
of polyethylene crystals at large strain, 257
of polymers, 151, 157
spherulite, study by light scattering movies, 553

Degradation, 911
Dehydrogenation, and chain cleavage of polymers with peroxides and copper salts, 809
Dehydrohalogenation, mechanism for polyhalogen-containing polymers, 643
Density gradient centrifugation, molecular weight averages by, 139
Density gradient ultracentrifugation, study of polyolefins by, 549
Deuterium studies, for active site identification in Ziegler type catalysts, 147
Dideuteroethylene, double bond opening, isomerization, and hydrogen exchange reactions in the polymerization of, 39
Dielectric behavior, of poly(hydroxyacetic ester), 87
of poly(β-propiolactone) prepared by radiation induced solid state polymerization, 301
of single crystals of poly(ethylene oxide), 321
Dielectric studies, of stereospecific poly(vinyl alcohol), 103
Dienes, conjugated, stereospecific polymerization by soluble catalysts, 279
Diepoxides, fluorinated, 1021
1,1-Diethoxyethylene, polymerization with π-electron acceptors, 271
Diethylaluminum chloride, reaction with tris(acetylacetonato) cobalt, and polymerization of butadiene by the complex, 393
solid catalyst containing reaction products with titanium tetrachloride, 761
Diffraction, x-ray, of the melting of linear polyethylene, 339
Diffusion, Fickian mechanisms of, for penetrants, 13
in a network with discontinuous swelling, 1083
Dimensions, unperturbed, of long-chain molecules in solution, estimation of, 1069
of polyoxymethylene, 47
and stereoregularity of isotactic poly-α-olefins, 973
Dimethylglutarate, NMR spectra of the meso and D,L-isomers of, 213
Dimethylsulfoxide, reactions of poly(p-chloromethylstyrene) resin in, 505
2,4-Diphenylpentane, NMR spectra of the meso and D,L-isomers of, 213
Dipolar solvents, as polyurethane foam cell-opening agents, 651
Discontinuity, in flow curves of molten polyethylene, 1025
Dislocation mechanism, screw, possible formation of polyethylene fibrils by, 721
Dispersion, molecular weight, in free radical polymerizations, influence of chain initiation rate on, 753
Dissociation, ion-pair, in the anionic two-state polymerization of styrene in THF, rate constants for, 985
Dissociation constant, of the $\sim\sim S^-, Na^+$ ion pair, 1037
Divinylbenzenes, NMR characteristics of, 99
Divinylurea, and related compounds, synthesis of, 789
Double bond opening, in the polymerization of dideuteroethylene, 39
Drawn linear polyethylene, heat

content of amorphous regions of, 783
Drawn polymer fibers, annealing of, 151
Draw temperature, effect on polymer deformation, 263
Dry system, radiation polymerization of styrene in, 363
Dynamic osmotic pressure measurements, on low molecular weight polymers, 875
Ebulliometric method, for molecular weights, range of, 27
Elastomers, relation of water vapor permeability to molecular structure of, 663
Elastic constraints, in solvent swollen polyethylene, 61
Elastic potential, effect on non-Newtonian flow, 161
Electro-initiated living polymers, 57
Electrolytic dissociation, of sodium polystyrene in THF, and anionic polymerization, 175
π-Electron acceptors, polymerization of 1,1-diethoxyethylene with, 271
Electron diffraction, method for removing surface specimens from bulk polymers for, 403
Electron irradiation, and racemization of isotactic poly(methyl methacrylate), 675
Electron microscopy, method of removing surface specimens from bulk polymers for, 403
Emulsion polymerization, of the norbornene ring system catalyzed by noble metal compounds, 1049
Enantiomorphic catalyst sites, a one-parameter model for isotactic polymerization based on, 23
End-to-end distances, a generating function for distribution in a polymer chain, 195
Energy, of activation, for a thermogravimetric trace, 231
flow activation, of conventional high pressure process polyethylene, 1089
ESR, measurements, on growing popcorn copolymers, 1017
spectrum origin, for the radical from poly(methyl methacrylate), 287
studies on isotactic polybutene-1 743
study of free radicals formed by γ-irradiation of poly(ethylene terephthalate), 993
Estimation, of unperturbed dimensions of long-chain molecules in solution, 1069
Etching, vapor, formation of a new crystalline structure on a polyolefin surface by, 545
Ethers, fluoroalkyl glycidyl, from fluoro ketones, 379
Ethyl acetate–poly(vinyl acetate) system, 331
Ethyl branches, position in conventional free radical polyethylene, 371
Ethylene, catalytic activity of chromium π-complexes in polymerization of, 529
copolymerization with carbon monoxide, penultimate effects in, 185
dideutero-, 39
free radical copolymerization of, 343
free radical polymerization at low temperature, 709
Ethylene alkyl phosphites, ring-opening polymerization of, 871
Ethylene dimethacrylate, fractionation of polystyrene by permea-

tion chromatography on gels of, 495
Ethylenic polymers, γ mechanical loss peak in, molecular mechanism of, 659
Ethylenimine, copolymerization with β-propiolactone, 617
Ethylene–polyethylene pair, at high temperature and pressure, a new method for determination of the solubility parameters of, 1093
Ethylene–propylene copolymers, intramolecular hydrogen transfer in the pyrolysis of, 749
mass spectrometry–pyrolysis determination of blockiness in, 483
Extrudate swelling, at high shear rates, 921
Fibers, drawn polymer, annealing of, 151
Fibrils, polyethylene, possible formation by a screw dislocation mechanism, 721
Fickian diffusion mechanisms, of penetrants, 13
Filler loaded vulcanizates, tensile stress softening effects in, 119
Film-forming polythiazoles, 35
Fine structure, of regenerated cellulose, 691
Flow, capillary, molecular fractionation of polymer fluids in, 723
Couette measurements of, normal stress functions from, 3
non-Newtonian, effect of elastic potential on, 161
viscometer with constant rate of, 609
Flow activation-energy, of conventional high pressure process polyethylene, 1089
Flow curves, of molten polyethylene, discontinuity in, 1025
Flow properties, of poly(methyl methacrylate) in Aroclor, role of molecular aggregates in, 521
Fluids, polymer, molecular fractionation in capillary flow of, 723
Fluorinated diepoxides, 1021
Fluoroalkyl glycidyl ethers, from fluoro ketones, 379
Fluoro ketones, fluoroalkyl glycidyl ethers from, 379
Foam, polyurethane, dipolar solvents as cell-opening agents for, 651
Foamed polymers, new methods for the production of, 325
Formation, heat of, for vinyl chloride, 779
Fractionation, of crystalline polymers, 83
molecular, in capillary flow of polymer fluids, 723
of polystyrene by permeation chromatography on gels of ethylene dimethacrylate, 495
Fracture strengths, of glassy polymers, 825
Free radical, formed by the γ-irradiation of poly(ethylene terephthalate), 993
Free radical copolymerization, of ethylene, 343
reactivity in, 305
Free radical polyethylene, position of ethyl branches in, 371
Free radical polymerization, of ethylene at low temperature, 709
influence of chain initiation rate on molecular weight dispersion in, 753
Function, generating, for the distribution of end-to-end distances for a polymer chain, 195

Fusion, of molecular weight fractions of linear polyethylene, a calorimetric study of, 803
Gas, dissolved, nucleation by finely-divided metals in the production of foamed polymers, 325
Gas phase polymerization, of glyoxal, 19
Gels, of ethylene dimethacrylate, fractionation of polystyrene by permeation chromatography on, 495
Glass transitions, and solid state structure in polyacrylonitrile, 167
Glass transition temperature, dependence on molecular weight, 143
of polytetrafluoroethylene, 831
Glycerol–azelaaldehydic acid compounds, as polymer intermediates, 131
Glyoxal, gas phase polymerization of, 19
Graft copolymer, polysaccharide, prepared by anionic coupling, 685
Graphical synopsis, of pair and triplet sequences in binary statistical copolymerization, 797
Gum, pure, tensile stress softening effects in vulcanizates of, 119
Heat, of formation, of vinyl chloride, 779
of mixing, in polymer–solvent systems, 1079
Heat content, of amorphous regions of drawn linear polyethylene, 783
Heptane-2,4,6-triol, stereoisomers of, 375
Hetero-bonded solid state, 167
Heterocycle copolymers, thermally-stable ordered, 845
Heterogeneous polymer systems, 1007
Hydride shift polymerization, intramolecular, by a cationic mechanism, 729
Hydrogen exchange reactions, in the polymerization of dideuteroethylene, 39
Hydrogen transfer, intramolecular, in the pyrolysis of ethylene–propylene copolymers, 749
Hydrophobic bonding, in vinyl polymers, 767
N-Hydroxymethylpolyacrylamide, substitution with redox groups, 283
Initiation, cationic, of isobutyl vinyl ether and N-vinylcarbazole by the species derived from ethereal maleic anhydride, 565
by cupric salts, radical and cationic polymerization from, 923
by lithium, of the copolymerization of styrene with methyl methacrylate, 569
Initiation rate, chain, influence on molecular weight dispersion in free radical polymerizations, 753
Interfacial polycondensation, of 2,6-naphthalenedicarboxylic acid chloride with Bisphenol A, 941
Intermediates, azelaaldehydic acid–glycerol compounds as, 131
Intramolecular hydride shift polymerization, by a cationic mechanism, 729
Intramolecular hydrogen transfer, in the pyrolysis of ethylene–propylene copolymers, 749
Intrinsic viscosity data, estimation of unperturbed dimensions of macromolecules from, 201

Ion pair, $\sim\sim S^-$, Na^+, dissociation constant of, 1037
Ion-pair association, in the anionic two-state polymerization of styrene in THF, rate constants for, 985
Ion-pair dissociation, in the anionic two-state polymerization of styrene in THF, rate constants for, 985
IR, evidence for solid state constraints on chain conformations in poly(vinyl chloride), 275
frequencies of poly(vinylidene chloride), and chain conformation, 541
investigation of polyethylene initiated by alkylperoxycarbonates, 1097
spectra of the polybutene-1 polymorphs, 513
and UV spectra of polymers and their hydrogenated monomers, properties of polymer solutions by comparison of, 331
Irradiation, electron, and racemization of isotactic poly(methyl methacrylate), 675
γ-Irradiation, of poly(ethylene terephthalate), ESR study of, 993
relative orientation of twinned polythiomethylene crystals from trithiane by, 863
Isobutyl vinyl ether, cationic polymerization of, by the species derived from ethereal maleic anhydride, 565
Isomerization, of monomer, in higher 1-alkene polymerization, 357
in the polymerization of dideuteroethylene, 39
of polymerized β-olefins to the corresponding α-olefins, 1031
Isotactic polymerization, a one-parameter model for, based on enantiomorphic catalyst sites, 23
Ketones, fluoro, fluoroalkyl glycidyl ethers from, 379
Ketone–zinc chloride systems, room temperature polymerization of α-methylstyrene by, 801
Kinetic effects, of the transition metal valence in Ziegler-type catalyst systems, 793
Kinetic parameters, from thermogravimetric data, 917
Kinetics, of the anionic copolymerization of styrene and methyl methacrylate, 43
Lactams, mechanism for the anionic polymerization of, 601
Ladder polymers, a new route to, 977
Light scattering, molecular parameters of polycaprolactam by, 17
movies, study of spherulite deformation by, 553
Lithium, copolymerization of styrene and methyl methacrylate by, 569
Lithium aluminum alkyls, in the stereospecific polymerization of acetaldehyde, 123
Living polymers, electro-initiated, 57
Long-chain molecules, in solution, estimation of unperturbed dimensions of, 1069
Loss peak, γ mechanical, in ethylenic polymers, molecular mechanism of, 659
Loss spectra, dynamic mechanical, theoretical interpretation of, 655
Macromolecules, estimation of unperturbed dimensions from intrinsic viscosity data, 201
Maleic anhydride, ethereal, cationic

polymerization of isobutyl vinyl ether and N-vinylcarbazole by the species derived from, 565
Mass spectrometric thermal analysis, 911
Mass spectrometry–pyrolysis method for blockiness determination of ethylene–propylene copolymers, 483
γ Mechanical loss peak, in ethylenic polymers, molecular mechanism of, 659
Mechanical loss spectra, dynamic, theoretical interpretation of, 655
Mechanical properties, dynamic, of polyethylene single crystals, 945
Mechanical relaxation effects, and molecular motions in atactic and isotactic polystyrenes at very low temperatures, 189
Mechanism, for the anionic polymerization of lactams, 601
of the anionic polymerization of styrene and "living" polystyrene, 901
for dehydrohalogenation of polyhalogen-containing polymers, 643
for Fickian diffusion of penetrants, 13
molecular, of the γ mechanical loss peak in ethylenic polymers, 659
screw dislocation, possible formation of polyethylene fibrils by, 721
Melt index, as a measure of Newtonian melt viscosity, 221
Melting, of linear polyethylene, x-ray diffraction studies of, 331
partial, detection in polyethylene single crystals by small angle x-ray scattering, 383
Melting point, ultimate, of syndiotactic polypropylene, 577
Melt viscosity, Newtonian, melt index as a measure of, 221
Membranes, water selective, for reverse osmosis, 965
Metal, acidic salts of, cis polymerization of 1,3-butadiene by biscyclooctadienyl nickel(0) and, 1045
finely-divided, nucleation of dissolved gas by, in the production of foamed polymers, 325
transition effect in the polymerization of butadiene by homogeneous Ziegler-Natta catalyst, 907
polymerization by derivatives of, 1045
Metal compounds, noble, emulsion polymerization of the norbornene ring system catalyzed by, 1049
organic syntheses by, 703
Metal valence, transition, kinetic effects in Ziegler-type catalyst systems, 793
Methacrylates, alkyl, reactivities in radical polymerizations, 113
Methacrylonitrile, stereospecific polymerization of, 933
Methoxy proton resonance, in styrene–methyl methacrylate copolymers, 419
Methyl acrylate–styrene copolymer, obtained by radical polymerization, NMR study of, 637
3-Methylbutene, copolymers with butene, crystalline phases in, 591
Methyl groups, motional narrowing of the NMR line-width of, 739
Methyl 2,4,6-heptanetricarboxylate, separation of stereoisomers of, 893
4-Methyl-1-hexene, polymerization of, 729

Methyl methacrylate, anionic copolymerization with styrene, kinetics of, 43
copolymerization with styrene, by lithium, 569
syndiotactic polymerization of, 1053
Methyl methacrylate–styrene copolymers, methoxy and α-methyl proton resonance in, 419
obtained by anionic polymerization, NMR study of, 631
obtained by radical polymerization, NMR study of, 625
α-Methyl proton resonance, in styrene–methyl methacrylate copolymers, 419
α-Methylstyrene, polymerization by ketone–zinc chloride systems at room temperature, 801
Microstructure, determination for polypropylene by selective oxidation with nitric acid, 573
of melt crystallized polyethylene, 353
Mixing, heat of, in polymer–solvent systems, 1079
Moduli, elastic, versus temperature for glassy Bisphenol-A polycarbonate, 427
Molecular aggregates, role in the flow properties of poly(methyl methacrylate) in Aroclor, 521
Molecular fractionation, in capillary flow of polymer fluids, 723
Molecular mechanism, of the γ mechanical loss peak in ethylenic polymers, 659
Molecular motions, and mechanical relaxation effects in atactic and isotactic polystyrenes at very low temperatures, 189
Molecular parameters, of polycaprolactam, by light scattering, 17
Molecular rigidity, of polymers at low temperatures, 1065
Molecular structure, relation of water vapor permeability of elastomers to, 663
Molecular weight, glass transition temperature dependence on, 143
range of the ebulliometric method for, 27
Molecular weight averages, by density gradient centrifugation, 139
Molecular weight dispersion, in free radical polymerizations, influence of chain initiation rate on, 753
Molecular weight fractions, linear polyethylene, a calorimetric study of, 803
Monoclinic phase, of polyethylene, stability of, 157
Monolayer properties, of a cross-linked insertion poly(methyl methacrylate), 927
Monomer copolymerization relationships, 715
Monomer isomerization, in higher 1-alkene polymerization, 357
Monomer units, in vinyl chloride polymers, NMR signals of tetrads in, 311
Morphology, of polyethylene single crystals, 1059
Motional narrowing, of the NMR line-width of methyl groups in poly(methyl methacrylate) solution, 739
Movies, light scattering, study of spherulite deformation by, 553
Narrowing, motional, of the NMR line-width of methyl groups in poly(methyl methacrylate) solution, 739
2,6-Naphthalenedicarboxylic acid chloride, interfacial polycondensation with Bisphenol A, 941

Network, with discontinuous swelling, diffusion in, 1083
Network formation, temporary, in shearing solutions of poly(methyl methacrylate) in Aroclor, 517
Newtonian melt viscosity, melt index as a measure of, 221
Nitric acid, fuming, treatment of polyethylene with, 1059
Nitroethane, interaction of phenylacetylene with trichloroacetic acid in, 77
NMR, for the determination of reactivity ratios for the copolymerization of vinyl acetate and vinyl chloride, 897
high resolution spectrum of polyacrylonitrile, 821
line-width of methyl groups in poly(methyl methacrylate) solution, motional narrowing of, 739
of methoxy and α-methyl protons in styrene–methyl methacrylate copolymers, 419
observations of molecular rigidity at 4.2°K., 1065
signals of tetrads of monomer units in vinyl chloride polymers, 311
spectra of o, m, and p-divinylbenzenes, 99
spectra of meso and D,L-isomers of dimethylglutarate, 213
spectra of meso and D,L-isomers of 2,4-diphenylpentane, 213
spectrum of isotactic polypropylene, analysis of, 179
spectrum of syndiotactic polypropylene, analysis of, 1001
study of poly(methacrylic amides) obtained by radical and anionic initiators, 839
of styrene–methyl acrylate copolymer obtained by radical polymerization, 637
of styrene–methyl methacrylate copolymer obtained by anionic polymerization, 631
of styrene–methyl methacrylate copolymer obtained by radical polymerization, 625
tacticity of poly(vinyl acetate) by, 69
tacticity of poly(vinyl alcohol) by, 63
tacticity of poly(vinyl trifluoroacetate) by, 63
Noble metal compounds, emulsion polymerization of the norbonene ring system catalyzed by, 1049
organic syntheses by, 703
Non-Newtonian flow, effect of elastic potential on, 161
Norbornadiene, copolymerization with carbon monoxide, 703
Norbornene ring system, emulsion polymerization of, catalyzed by noble metal compounds, 1049
Nucleation, of dissolved gas by finely-divided metals, in the production of foamed polymers, 325
Nylon 6, single crystals of, 295
Nylon 11, polymorphism in, 557
Olefin, Ziegler polymerization of, 7
α-Olefin, from the isomerization of polymerized β-olefins, 1031
a supported catalyst for the polymerization of, 855
β-Olefin, polymerization with isomerization to the corresponding α-olefins, 1031
One-parameter model, for isotactic polymerization, based on enantiomorphic catalyst sites, 23
Orientation, relative, of the twinned polythiomethylene crystals from trithiane by γ-irradiation, 863

Osmosis, reverse, water selective membranes for, 965
Osmotic pressure measurements, dynamic, on low molecular weight polymers, 875
Oxazirane, as oxidant in redox polymerization of vinyl compounds 955
Oxidant, redox polymerization of vinyl compounds using oxazirane as, 955
Oxidation, of o-cresol, 887
selective, with nitric acid, determination of polypropylene microstructure by, 573
uncatalyzed thermal, of isotactic polypropylene, 227
Oxidative coupling, polymerization by, 887
Pair sequence, a graphical synopsis of, in binary statistical copolymerization, 797
Penetrants, Fickian diffusion mechanisms for, 13
1,3,5,7,9-Pentathiocyclodecane (pentathioformaldehyde), preparation and polymerization of, 455
Pentathioformaldehyde, preparation and polymerization of, 455
Penultimate effects, in the copolymerization of ethylene and carbon monoxide, 185
Permeability, water vapor, relation to molecular structure in elastomers, 663
Peroxides, and copper salts, dehydrogenation and chain cleavage of polymers with, 809
Phases, crystalline, in copolymers of butene and 3-methylbutene, 591
Phase separation, during the formation of three-dimensional polymers, 209
in styrene–acrylonitrile copolymers, 1007
in the ternary system solvent–precipitant–polymer, 615
$Ph_3CCl,HgCl_2$, polymerization of styrene by, 445
Phenylacetylene, interaction with trichloroacetic acid in nitroethane, 77
Photoelastic properties, of polystyrene in the transition region, 345
Photopolymerization, of acetone, 241
of β-propiolactone with uranyl nitrate sensitizer, 205
Plastics, viscoelastic properties of, 587
Polyacrylonitrile, high resolution NMR spectrum of, 821
solid state structure and glass transitions in, 167
stability of tertiary carbon–hydrogen bonds in, 835
Polyallene, structure of crystalline, 697
Polyamide–imide, aromatic, preparation of, 679
Polybutene-1, isotactic, ESR studies on, 743
a new transition peculiar to the crystalline phase, 537
polymorphs, infrared spectra of, 513
Poly(butylene oxide), glass transition temperature dependence on molecular weight of, 143
Polycaprolactam, determination of molecular parameters by light scattering, 17
Polycarbonate, glassy Bisphenol-A, some elastic moduli versus temperature for, 427
Poly(p-chloromethylstyrene) resin,

reactions in dimethylsulfoxide, 505
Polycondensation, interfacial, of 2,6-naphthalenedicarboxylic acid chloride with Bisphenol A, 941
Polycycloaddition, of terephthalonitrile oxide, 735
Poly(2,6-dimethyl phenylene ether), thermal properties of, 561
Polyethylene, conventional high-pressure process, branching and flow activation energy of, 1089
crystals, deformation at large strain, 257
drawn linear, heat content of amorphous regions of, 783
dynamic mechanical properties of single crystals of, 945
fibrils, possible formation by a screw dislocation mechanism, 721
free radical, position of ethyl branches in, 371
initiated by alkylperoxycarbonates, IR investigation of, 1097
irradiation crosslinking of, 467
linear, a calorimetric study of the fusion of molecular weight fractions of, 803
x-ray diffraction studies of the melting of, 331
melt crystallized, microstructure of, 353
molten, discontinuity in the flow curves of, 1025
morphology of single crystals, 1059
single crystals, detection of partial melting by means of small angle x-ray scattering, 383
solvent swollen, elastic constraints in, 61
stability of the monoclinic phase of, 157
treatment with fuming nitric acid, 1059
Polyethylene–ethylene pair, at high temperature and pressure, a new method for determination of the solubility parameters of, 1093
Poly(ethylene isophthalate), crystallization of, 411
Poly(ethylene oxide), dielectric behavior of single crystals of, 321
Poly(ethylene terephthalate), ESR study of free radicals formed by γ-irradiation of, 993
Polyhalogen-containing polymers, mechanism for dehydrohalogenation of, 643
Poly(hydroxyacetic ester), dielectric and viscoelastic behaviors of, 87
Polyimidazopyrrolones, 977
Polyimide–amide, aromatic, preparation of, 679
Poly(p-iodostyrene), solution properties of, 499
Poly(isopropyl acrylate), isotactic, racemization of, 53
Polymer, glassy, fracture strength of, 825
linear amorphous, relation between stress relaxation and creep in, 437
of low molecular weight, dynamic osmotic pressure measurements on, 875
thermally stable, 95
Polymer chain, a generating function for the distribution of end-to-end distances in, 195
Polymer coils, determination of the thermodynamic parameters of solutions of, 851
Polymer fluids, molecular fractionations in capillary flow of, 723
Polymerization, cationic, of

styrene, 127
and copolymerization of 1-allyloxy-2,3-epithiopropane, 969
free radical, of ethylene at low temperature, 709
influence of chain initiation rate on molecular weight dispersion in, 753
intramolecular hydride shift, by a cationic mechanism, 729
of 4-methyl-1-hexene, 729
by oxidative coupling, 887
pseudocationic, of styrene, 127
radical, reactivities of alkyl methacrylates in, 113
stereospecific, of acetaldehyde, 123
by transition metal derivatives, 1045
1,5-Polymerization, of vinylcyclopropane, 251
Polymer molecule conformation, from crystallographic data, 509
Polymer solutions, properties by comparison of UV and IR spectra of polymers and their hydrogenated monomers, 331
Polymer–solvent–precipitant, phase separation in the ternary system of, 615
Polymer–solvent systems, heat of mixing in, 1079
Polymer systems, heterogeneous, 1007
Poly(methacrylic amides), obtained by radical and anionic initiators, NMR study on, 839
Poly-3-methyl-1-butene, higher order transitions in, 525
Poly-γ-methyl-L-glutamate, cross-β structure of, 959
Poly(methyl methacrylate), in Aroclor, role of molecular aggregates in the flow properties of, 521
in Aroclor, temporary network formation in shearing solutions of, 517
crosslinked insertion, monolayer properties of, 927
isotactic, racemization by electron irradiation, 675
monodisperse stereoregular, by anionic polymerization, 171
origin of the ESR spectrum for the radical from, 287
solution, motional narrowing of the NMR line-width of methyl groups in, 739
Poly-4-methyl-1-pentene, higher order transitions in, 525
Polymethylsiloxamer, 883
Polymorphism, in nylon 11, 557
Polymorphs, of polybutene-1, infrared spectra of, 513
Polyolefins, formation of a new crystalline structure on the surface of, by vapor etching, 545
study by density gradient ultracentrifugation, 549
Poly-α-olefins, isotactic, stereoregularity and unperturbed dimensions of, 973
Polyoxymethylene, stability in p-chlorophenol solution and in the presence of boron trifluoride–etherate, 491
unperturbed dimensions of, 47
Polypentene-1, isotactic, conformation of, erratum, 349
Poly(β-phenylethyl methacrylate), syndiotacticity of, 771
Polyphenylpyrazoles, 95
Poly(β-propiolactone), prepared by radiation induced solid state polymerization, dielectric behavior of, 301
Polypropylene, cracking under AC voltage, 407
dilute solution-grown single

crystals of, 463
isotactic, analysis of the NMR spectrum of, 179
uncatalyzed thermal oxidation of, 227
microstructure determination, by selective oxidation with nitric acid, 573
molten, surface tension of, 235
syndiotactic, analysis of the NMR spectrum of, 1001
ultimate melting point of, 577
Poly(propylene oxide), glass transition temperature dependence on molecular weight of, 143
Polysaccharide graft copolymer, prepared by anionic coupling, 685
Polyselenomethylene, 581
hexagonal, preparation and preliminary x-ray analysis of, 997
Polystyrene, atactic and isotactic, molecular motions and mechanical relaxation effects at very low temperatures, 189
fractionation by permeation chromatography on gels of ethylene dimethacrylate, 495
living, mechanism of the anionic polymerization of styrene with, 901
photoelastic properties in the transition region, 345
sodium, electrolytic dissociation in THF and anionic polymerization, 175
Polystyrene ion, free, living, absolute rate constant of propagation of, 1037
Polythene, cis vinylene unsaturation in, 73
Polytetrafluoroethylene, glass tran transition temperature of, 831
relaxation processes in, 671
Polythiazoles, film-forming, 35
Polythiomethylene, from trithiane by γ-irradiation, relative orientation of twinned crystals of, 863
Polyurethane, foam, dipolar solvents as cell-opening agents for, 651
Poly(vinyl acetate), tacticity by NMR, 69
Poly(vinyl acetate)–ethyl acetate system, 331
Poly(vinyl alcohol), stereoregular, a new route to, 245
stereospecific, dielectric studies of, 103
tacticity by NMR, 63
Poly(vinyl chloride), IR evidence for solid state constraints on chain conformations in, 575
NMR signals of tetrads of monomer units in, 311
solutions, influence of interfacial tension on the size of the precipitated aggregate from, 433
spherulites of, 49
Poly(vinylidene chloride), chain conformation and IR frequencies of, 541
Poly(vinyl trifluoroacetate), tacticity by NMR, 63
Popcorn copolymers, growing, ESR measurements on, 1017
Position, of ethyl branches, in conventional free radical polyethylene, 371
Potential, elastic, effect on non-Newtonian flow, 161
Precipitant–polymer–solvent, phase separation in the ternary system of, 615
Pressure, high, a new method for determination of the solubility parameters of the polyethylene–ethylene pair at, 1093
Propagation, of the free living poly-

styrene ion, absolute rate constant of, 1037
Properties, of polymer solutions, by comparison of IR and UV spectra of polymers and their hydrogenated monomers, 331
β-Propiolactone, copolymerization with ethylenimine, 617
photopolymerization with uranyl nitrate sensitizer, 205
Propylene, a supported catalyst for the polymerization of, 855
Propylene–ethylene copolymers, intramolecular hydrogen transfer in the pyrolysis of, 749
mass spectrometry–pyrolysis determination of blockiness in, 483
Proton transfer reactions, in the formation of deeply colored electrically conducting polymers, 369
Pseudocationic polymerization, of styrene, 127
Purification, of styrene, 891
Pyridine, α-acetoxy-4-vinyl, 879
Pyrolysis, of ethylene–propylene copolymers, intramolecular hydrogen transfer in, 749
Pyrolysis–mass spectrometry method for blockiness determination of ethylene–propylene copolymers, 483
Q,e scheme, of Alfrey-Price, computer program for copolymer calculations based on, 815
Racemization, of isotactic poly(isopropyl acrylate), 53
of isotactic poly(methyl methacrylate) by electron irradiation, 675
Radiation, crosslinking of polyethylene by, 467
Radiation polymerization, solid state, dielectric behavior of poly(β-propiolactone) prepared by, 301
of styrene in a dry system, 363
Radical, from poly(methyl methacrylate), origin of the ESR spectrum for, 287
Radical initiators, NMR study on the poly(methacrylic amides) obtained by, 839
Radical polymerization, of ethylene at low temperature, 709
influence of chain initiation rate on molecular weight dispersion in, 753
initiated by cupric salts, nature of, 923
reactivities of alkyl methacrylates in, 113
NMR study of styrene–methyl acrylate copolymer obtained by, 637
of styrene–methyl methacrylate copolymer, NMR study of, 625
Rate constant, absolute, of propagation of the free living polystyrene ion, 1037
for ion-pair dissociation and association in the anionic two-state polymerization of styrene in THF, 985
Reactivity, of alkyl methacrylates in radical polymerizations, 113
in free radical copolymerization, 305
telogen, prediction of, 459
Reactivity ratios, determination with NMR for the copolymerization of vinyl acetate and vinyl chloride, 897
Redox groups, substitution of N-hydroxymethylpolyacrylamide with, 283
Redox polymerization, of vinyl compounds using oxazirane as oxidant, 955
Relaxation, of stress, relation to

creep for linear amorphous polymers, 437
Relaxation effects, mechanical, and molecular motions in atactic and isotactic polystyrenes at very low temperatures, 189
Relaxation processes, in polytetrafluoroethylene, 671
Remarks, to the comments by Toelle, Smid, and Szwarc, 1043
Resin, of poly(p-chloromethylstyrene), reactions in dimethylsulfoxide, 505
Rigidity, molecular, of polymers at low temperatures, 1065
Ring-opening polymerization, of ethylene alkyl phosphites, 871
Sampling, of surface specimens from bulk polymers for electron microscopic and diffraction studies, 403
Screw dislocation mechanism, possible formation of polyethylene fibrils by, 721
Sensitizer, uranyl nitrate as, in the photopolymerization of β-propiolactone, 205
Separation, of phases, during the formation of three-dimensional polymers, 209
in styrene–acrylonitrile copolymers, 1007
in the ternary system solvent–precipitant–polymer, 615
of stereoisomers of methyl 2,4,6-heptanetricarboxylate, 893
Shearing solutions, of poly(methyl methacrylate) in Aroclor, temporary network formation in, 517
Shear rates, high, extrudate swelling at, 921
Single crystals, of dilute solution-grown polypropylene, 463
of nylon 6, 295
polyethylene, morphology of, 1059
of poly(ethylene oxide), dielectric behavior of, 321
Site removal, and activation, in Ziegler olefin polymerization, 7
Small angle measurements, x-ray, in the determination of the thermodynamic parameters of solutions of polymer coils, 851
Sodium polystyrene, electrolytic dissociation in THF, and anionic polymerization, 175
Softening effects, tensile stress, in pure gum and filler loaded vulcanizates, 119
Solid state constraints, on chain conformations in poly(vinyl chloride), IR evidence for, 275
Solid state polymerization, radiation induced, dielectric behavior of poly(β-propiolactone) prepared by, 301
Solid state structure, and glass transitions in polyacrylonitrile, 167
Solubility, of polymers in arsenic and antimony trichlorides, 81
Solubility parameters, of the polyethylene–ethylene pair at high temperature and pressure, a new method for the determination of, 1089
Solution, estimation of unperturbed dimensions of long-chain molecules in, 1069
Solution properties, of poly(p-iodostyrene), 499
Solvent–polymer systems, heat of mixing in, 1079
Solvent–precipitant–polymer, phase separation in the ternary system of, 615
Solvents, aromatic, Ziegler-Natta

polymerizations with, 1075
dipolar, as polyurethane foam cell-opening agents, 651
Spectra, dynamic mechanical loss, theoretical interpretation of, 655
Spherulite deformation, study by light scattering movies, 553
Spherulites, of poly(vinyl chloride), 49
Stability, of the monoclinic phase of polyethylene, 157
of tertiary carbon-hydrogen bonds in polyacrylonitrile, 835
Statistical copolymerization, binary, a graphical synopsis of pair and triplet sequences in, 797
Stereoisomers, of heptane-2,4,6-triol, 375
of methyl 2,4,6-heptanetricarboxylate, separation of, 893
Stereoregularity, and unperturbed dimensions of isotactic poly-α-olefins, 973
Stereospecific polymerization, of acetaldehyde, 123
of conjugated dienes by new soluble catalysts, 279
of methacrylonitrile, 933
Strain, large, deformation of polyethylene crystals at, 257
Strengths, fracture, of glassy polymers, 825
Stress, normal functions, from Couette flow measurements, 3
tensile, softening effects in pure gum and filler loaded vulcanizates, 119
Stress relaxation, relation to creep for linear amorphous polymers, 437
Structure, of crystalline polyallene, 697
fine, of regenerated cellulose, 691
molecular, relation of water vapor permeability of elastomers to, 663
Styrene, anionic copolymerization with methyl methacrylate, kinetics of, 43
anionic polymerization with living polystyrene, mechanism of, 901
copolymerization with methyl methacrylate, by lithium, 569
polymerization by $Ph_3CCl,HgCl_2$, 445
pseudocationic and true cationic polymerization of, 127
purification of, 891
radiation polymerization in a dry system, 363
rate constants for ion-pair dissociation and association in the anionic two-state polymerization in THF, 985
Styrene–acrylonitrile copolymers, phase separation in, 1007
Styrene–methyl acrylate copolymer, obtained by radical polymerization, NMR study of, 637
Styrene–methyl methacrylate copolymers, methoxy and α-methyl proton resonance in, 419
obtained by anionic polymerization, NMR study of, 631
obtained by radical polymerization, NMR study of, 625
Substitution, of N-hydroxymethylpolyacrylamide with redox groups, 283
Surface tension, of molten polypropylene, 235
Swelling, discontinuous, diffusion in a network with, 1083
of extrudate, at high shear rates, 921
Syndiotacticity, of poly(β-phenylethyl methacrylate), 771

Syndiotactic polymerization, of methyl methacrylate, 1053
Synthesis, of divinylurea and related compounds, 789
by noble metal compounds, 703
Tacticity, determination of allyl methacrylate polymers, 951
of poly(vinyl acetate) by NMR, 69
of poly(vinyl alcohol) by NMR, 63
of poly(vinyl trifluoroacetate) by NMR, 63
Telogen, prediction of reactivity for, 459
Temperature, of drawing, effect on polymer deformation, 263
glass transition, dependence on molecular weight, 143
glass transition, of polytetrafluoroethylene, 831
high, a new method for determination of the solubility parameters of the polyethylene–ethylene pair at, 1093
low, free radical polymerization of ethylene at, 709
molecular rigidity of polymers at, 1065
transition, theoretical interpretation of, 655
versus elastic moduli for glassy Bisphenol-A polycarbonate, 427
Tensile stress, softening effects in pure gum and filler loaded vulcanizates, 119
Tension, interfacial, and size of the precipitated aggregate from PVC solutions, 433
Terephthalonitrile oxide, polycycloaddition of, 735
Ternary system, solvent–precipitant–polymer, phase separation in, 615
Tetrads, NMR signals of, of monomer units in vinyl chloride polymers, 311
Tetrahydrofuran (THF), anionic polymerization and electrolytic dissociation of sodium polystyrene in, 175
rate constants for ion-pair dissociation and association in the anionic two-state polymerization of styrene in, 985
1,3,5,7-Tetrathiocane (tetrathioformaldehyde), 501
Tetrathioformaldehyde, 501
Thermal analysis, mass spectrometric, 911
Thermal degradation, 911
Thermally stable polymers, 95
Thermal oxidation, uncatalyzed, of isotactic polypropylene, 227
Thermal properties, of poly(2,6-dimethyl phenylene ether), 561
Thermodynamic parameters, of solutions of polymer coils, 851
Thermogravimetric data, kinetic parameters from, 917
Thermogravimetric trace, activation energy for, 231
Three-dimensional polymers, phase separation during the formation of, 209
Titanium chloride–triethylaluminum catalyst, polymerization of butene-2 by, 449
Titanium tetrachloride, solid catalyst containing reaction products with diethylaluminum chloride, 761
Transition, higher order, in poly-3-methyl-1-butene and poly-4-methyl-1-pentene, 525
peculiar to isotactic polybutene-1 in the crystalline phase, 537
Transition metal derivatives, polymerization by, 1045
Transition metal effect, in the

polymerization of butadiene by homogeneous Ziegler-Natta catalyst, 907
Transition metal valence, in Ziegler-type catalyst systems, kinetic effects of, 793
Transition region, photoelastic properties of polystyrene in, 345
Transition temperature, glass, of polytetrafluoroethylene, 831
theoretical interpretation of, 655
Trichloroacetic acid, interaction with phenylacetylene in nitroethane, 77
Triethylaluminum–titanium chloride catalyst, polymerization of butene-2 by, 449
3,3,3-Trifluoropropylmethylsiloxane, cyclic distribution in polymers of, 473
Triplet sequence, a graphical synopsis of, in binary statistical copolymerization, 797
Tris(acetylacetonato) cobalt, reaction with diethylaluminum chloride, and polymerization of butadiene by the complex, 393
Trithiane, relative orientation of twinned polythiomethylene crystals from, 863
Two-state polymerization, anionic, of styrene in THF, rate constants for ion-pair dissociation and association in, 985
Ultimate melting point, of syndiotactic polypropylene, 577
Ultracentrifugation, density gradient, study of polyolefins by, 549
Unperturbed dimensions, of long-chain molecules in solution, estimation of, 1069
of macromolecules, estimation from intrinsic viscosity data, 201
of polyoxymethylene, 47
and stereoregularity of isotactic poly-α-olefins, 973
Unsaturation, cis vinylene, in polythene, 73
Uranyl nitrate, as a sensitizer in the photopolymerization of β-propiolactone, 205
UV, and IR spectra of polymers and their hydrogenated monomers, properties of polymer solutions by comparison of, 331
Vapor etching, formation of a new crystalline structure on a polyolefin surface by, 545
Vinyl acetate, copolymerization with vinyl chloride, NMR determination of the reactivity ratios of, 897
N-Vinylcarbazole, cationic polymerization of, by the species derived from ethereal maleic anhydride, 565
Vinyl chloride, copolymerization with vinyl acetate, NMR determination of the reactivity ratios of, 897
heat of formation of, 779
Vinyl compounds, redox polymerization of, using oxazirane as oxidant, 955
Vinylcyclopropane, 1,5-polymerization of, 251
Vinylene unsaturation, in polythene, 73
Vinyl polymers, distribution in wool, 441
hydrophobic bonding in, 767
4-Vinylpyridine, polymerization with cupric acetate, 135
Viscoelastic behavior, of poly(hydroxyacetic ester), 87
Viscoelastic properties, of plastics, 587

Viscometer, constant rate of flow type, 609
Viscosity, Newtonian melt, melt index as a measure of, 221
Viscosity data, intrinsic, estimation of unperturbed dimensions of macromolecules from, 201
Vulcanizates, tensile stress softening effects in, 119
Water selective membranes, for reverse osmosis, 965
Water vapor permeability, of elastomers, relation to molecular structure, 663
Wool, distribution of vinyl polymers in, 441
X-ray analysis, of hexagonal polyselenomethylene, 997
of 1,3,5,7-tetrathiocane (tetrathioformaldehyde), 501
X-ray diffraction, of the melting of linear polyethylene, 339
X-ray scattering, small angle, detection of partial melting in polyethylene single crystals by, 383
X-ray small angle measurements, in the determination of the thermodynamic parameters of solutions of polymer coils, 851
Ziegler catalyst, novel, 859
Ziegler-Natta catalyst, homogeneous, transition metal effect in the polymerization of butadiene by, 907
Ziegler-Natta polymerizations, with aromatic solvents, 1075
Ziegler polymerization, of olefins, site removal and activation, 7
Ziegler-type catalysts, active site identification in, 147
kinetic effects of the transition metal valence in, 793
Zinc chloride–ketone systems, room temperature polymerization of α-methylstyrene by, 801